

Printing date 14.01.2022 Version number 1 Revision: 14.01.2022

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: RS Gootreparatie
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU19 Building and construction work

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Liquid waterproofing for roofdetails.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

IKO Europe nv

d'Herbouvillekaai 80

B-2020 Antwerpen

Belgium

Tel.: +32 (0)3 248 30 00 E-mail: sds.europe@iko.com

#### · Further information obtainable from:

National Poisons Information Service UK: England and Wales: 0845 4647 Scotland: 08454 24 24 24; National Poisons Information Centre Ireland: +00 353 (0) 1 837 9964 or +00 353 (0) 1 809 2566. NPIS & NPIC services are provided exclusively for healthcare professionals working in NHS.

· 1.4 Emergency telephone number:

United Kingdom National Poisons Information Service (+44) 844 892 0111 - 0344 892 0111 Ireland National Poisons Information Centre Tel: +353 1 8092566 Emergency call only for healthcare professionals

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

- · Precautionary statements
- P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH208 Contains trimethoxyvinylsilane, Benzotriazole derivative mixture. May produce an allergic reaction.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- **Description:** Mixture: consisting of the following components.

(Contd. on page 2)



Printing date 14.01.2022 Version number 1 Revision: 14.01.2022

Trade name: RS Gootreparatie

	(0	Contd. of page
Dangerous components:		
CAS: 2943-75-1 EINECS: 220-941-2 Reg.nr.: 01-2119972313-39	triethoxyoctylsilane Aquatic Chronic 2, H411 Skin Irrit. 2, H315	≥2.5-<10%
	organosilane ester Flam. Liq. 3, H226 Acute Tox. 4, H332	≥0.3-≤2.5%
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane Flam. Liq. 3, H226 Acute Tox. 4, H332; Skin Sens. 1B, H317	≥0.5-<1%
CAS: 104810-48-2	poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxy-Aquatic Chronic 2, H411 Skin Sens. 1, H317	0.4-0.5%
CAS: 104810-47-1	poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-Aquatic Chronic 2, H411 Skin Sens. 1, H317	0.3-0.4%

### · Additional information:

For the wording of the listed hazard phrases refer to section 16.

This mixture contains ≥ 1% titanium dioxide (CAS 13463-67-7) The Annex VI classification of Titanium dioxide does not apply to this mixture according to its Note 10

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse mouth.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam. Extinguishing powder. Carbon dioxide (CO2). Sand. Water mist. Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: carbondioxide (CO2)

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.

### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

(Contd. of page 2)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.01.2022 Version number 1 Revision: 14.01.2022

Trade name: RS Gootreparatie

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry place in tightly closed receptacles.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from frost.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection Not required.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

 $\cdot$  9.1 Information on basic physical and chemical properties

Physical stateColour:Odour:Mild

· Odour threshold: Not determined.

(Contd. on page 4)



Version number 1 Revision: 14.01.2022 Printing date 14.01.2022

Trade name: RS Gootreparatie

(Contd. of page 3)

Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 100 °C (CAS: 2943-75-1 triethoxyoctylsilane)

· Auto-ignition temperature: Product is not selfigniting.

· Decomposition temperature: Not determined.

Mixture is non-polar/aprotic.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic at 20 °C: 35,000 mPas

· Solubility

· water: Insoluble.

· Partition coefficient n-octanol/water (log

value)

Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

· Density at 20 °C: ~1.34 g/cm3 · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information No further information available.

· Appearance:

· Form: Viscous

· Ignition temperature: Not determined.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: ≤0.0 % · VOC (EC) ≤0.1 g/l

· VOC

· Solids content: 0.0 %

· Change in condition · Softening point/range

· Oxidising properties Not determined. · Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids

Void · Organic peroxides Void

(Contd. on page 5)



Printing date 14.01.2022 Version number 1 Revision: 14.01.2022

Trade name: RS Gootreparatie

(Contd. of page 4)

Corrosive to metalsDesensitised explosivesVoid

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with peroxides.
- · 10.4 Conditions to avoid

Wet or damp areas.

Keep material well closed, material cures by exposure to air.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Hazardous decompositions products may be released during prolonged heating like smokes, carbon monoxide and dioxides.

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

<ul> <li>LD/LC50 values</li> </ul>	relevant for	classification:
------------------------------------	--------------	-----------------

### **ATE (Acute Toxicity Estimates)**

Inhalative LC50/4 h >968-4,839 mg/l (rat)

CAS: 294	3-75-1 trie	tnoxyoctyisiiane	
Oral	LD50	5,110 mg/kg (rat)	
Dermal	LD50	6,730 mg/kg (rat)	

#### organosilane ester

040 0040 75 4 (\*\*\*\*\*\*\*

Dermal LD50 >3,460-4,000 mg/kg (kon)

Inhalative LC50/4 h 16.79 mg/l (rat)

#### CAS: 2768-02-7 trimethoxyvinylsilane

 Oral
 LD50
 7,120 mg/kg (rat)

 Dermal
 LD50
 3,540 mg/kg (rab)

 Inhalative
 LC50/4 h
 16.79 mg/l (rat)

· Serious eye damage/irritation

Splashes in the eyes may cause irritation and reversible local damage.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 2943-75-1 triethoxyoctylsilane

EC50 >0.13 mg/l (daphnia)

(Contd. on page 6)



Printing date 14.01.2022 Version number 1 Revision: 14.01.2022

Trade name: RS Gootreparatie

		(Contd. of page 5)		
organosilane ester				
	EC50	>100 mg/l (daphnia)		
CAS: 2768-02-7 trimethoxyvinylsilane				
Inhalative	LC50	191 mg/l (fish)		
	EC50	168 mg/l (daphnia)		

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Disposal should be in accordance with applicable regional, national and local laws and regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information			
· 14.1 UN number or ID number	Not classified as hazardous for transportation regulations.		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Maritime transport in bulk according to IMO instruments  Not applicable.			

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed

(Contd. on page 7)



Printing date 14.01.2022 Version number 1 Revision: 14.01.2022

Trade name: RS Gootreparatie

(Contd. of page 6)

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 This product does not contain any SVHC's.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet (SDS) is calculated with a Calculation method based on CLP Annex I, parts 2 to 5.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

· Contact: sds.europe@iko.com

#### · Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- GE